

WEED BARRIER/LANDSCAPING FABRIC

<i>PROPERTIES</i>	<i>STANDARD</i>	<i>UNIT</i>	<i>GREENPRO (Typical Values)</i>
MATERIAL	100% Virgin Polypropylene, Non-Woven Spunbond Fabric.		
MECHANICAL PROPERTIES			
Tensile Strength MD	ASTM D 5034 – 95	LBS	31 to 36.5
Tensile Strength CD	ASTM D 5034 – 95	LBS	21.5 to 25
Elongation MD / CD	ASTM D 5034 – 95	%	95 to 175
PHYSICAL PROPERTIES			
Mass/Unit Area	ASTM D 1117 – 97	g/m ²	50 (± 5%)
Filament Diameter		DTEX	2.5 – 4.0
Thickness	ASTM D 1777 – 96	MM	0.36 to 0.44
Appearance			UNIFORM WEB
ROLL DIMENSIONS			
Roll Width	Max.: 126" (INCH) OR 3.2 METERS (without joint)		
Roll Diameter	Max.: 39.3" (INCH) OR 100 CMS		
PACKING	Rolls are wrapped with strong plastic		

ADVANTAGES:

- Provides stability to the soil
- Stops weeds from growing through cracks
- Prevents insects from displacing sand underneath hardscapes
- Great for landscaping of gardens with rocks and creating rock paved patios
- Fabric can also be hydrophilic treated – allowing air, water and nutrients pass through

info@greenpro.co.in | www.greenpro.co.in